

Table of Contents

List of Figures	iii
List of Tables	v
Acknowledgment	vii
Preface	viii
Introduction.....	1
Calculating Probability of Failure	2
An Illustrative Example - Retaining Wall Stability	2
Factor of Safety Against Sliding.....	2
Uncertainty in Factor of Safety Against Sliding.....	2
Interpretation of "Probability of Failure"	6
Summary of the Taylor Series Method	8
Methods of Estimating Standard Deviation.....	10
(1) Computation from Data	10
(2) Published Values	10
(3) The "Three-Sigma Rule"	11
(4) Graphical Three-Sigma Rule.....	14
Example - A Slope that Failed	19
Example - The Benefit of Back Analysis	23
Example - Erosion and Piping	29
Example - Consolidation Settlement.....	41
Example - Settlement of Footings on Sand (SPT Method)	47
Example - Settlement of Footings on Sand (CPT Method).....	51

Selecting Appropriate Factors of Safety	54
Summary and Conclusions.....	55
Appendix A - Theoretical Background of the Taylor Series Method	56
Appendix B - Determining Values of Probability of Failure Using an Assumed Lognormal Distribution of P_f	59
Appendix C - Precision of Values of P_f Computed Using the Taylor Series Method and Assumed Lognormal Distribution of P_f	61
Appendix D - Method for Computing Coefficients of Variations of Empirical Correlations and Methods of Analysis	64
Examples - Empirical Correlations	67
Appendix E - References.....	73

List of Figures

Figure 1 -	Cantilever retaining wall with silty sand backfill.....	3
Figure 2 -	Basis for the Three-Sigma Rule.....	13
Figure 3 -	Examples of the Graphical Three-Sigma Rule for estimating Standard deviation limits for parameters that vary with depth.....	16
Figure 4 -	Graphical Three-Sigma Rule for estimating standard deviation limits for strength envelope.....	18
Figure 5 -	Cross section through excavated trench at LASH Terminal after failure.....	20
Figure 6 -	Slope failure cross section.....	24
Figure 7 -	Drain wells to stabilize the slope.....	26
Figure 8 -	Cross section - Whittier Narrows Dam.....	31
Figure 9 -	Finite element mesh – Whittier Narrows Dam.....	35
Figure 10 -	Equipotential contours – Whittier Narrows Dam.....	36
Figure 11 -	Spreadsheet analyses – Whittier Narrows Dam.....	39
Figure 12 -	Consolidation settlement example.....	42
Figure 13 -	Comparison of measured settlements at the end of construction with settlements predicted by Eq (11).....	48
Figure 14 -	Settlement ratios vs. probability of failure for coefficient of variation, $V= 67%$ and $79%$	50
Figure 15 -	Comparison of end of construction settlements of foundations on sand and gravels as predicted by cone penetration tests and as measured.....	52
Figure C1 -	Comparison of values of P_f computed by Monte Carlo method and other methods.....	63
Figure D1 -	Hypothetical data and correlation.....	64
Figure D2 -	Spreadsheet for calculating coefficient of variation for an empirical correlation or method of analysis.....	66

Figure D3 - Comparison of measured settlements of footings on sand at end of construction with values predicted by standard penetration test method.....	67
Figure D4 - Relationship between compressibility, c , and water content for saturated, normally consolidated cohesive soils.....	68
Figure D5 - Relationship between dynamic standard penetration test N_{60} values and compressibility, m_v of sand developed by Burland and Burbidge.....	69
Figure D6 - Values of friction angle ϕ' for clays of various compositions as reflected in plasticity index.....	70
Figure D7 - Empirical correlation between friction angle ϕ' of sand and normalized cone penetration resistance.....	71
Figure D8 - Empirical correlation between drained Young's modulus E_s and weighted mean cone resistance based on settlement analysis of case records.....	72

List of Tables

Table 1.	Taylor Series reliability analysis for retaining wall.....	4
Table 2.	Probabilities that factor of safety is smaller than 1.0, based on lognormal distribution of factor of safety.....	7
Table 3.	Values of coefficient of variation (V) for geotechnical properties and in situ tests.....	12
Table 4.	Estimated and measured values of $C_v/(1+e)$ and its coefficient of variation, for San Francisco Bay mud.....	15
Table 5.	Taylor Series reliability analysis for LASH Terminal cut slope.....	22
Table 6.	Original design analysis, back analysis, and redesign analyses of slope.....	25
Table 7a.	Reliability analysis of the slope - original design.....	27
Table 7b.	Reliability analysis of the slope - redesign.....	27
Table 8.	Top layer permeability and standard deviation values.....	32
Table 9.	Lower layer permeability and standard deviation values.....	32
Table 10.	Head loss rates and standard deviations.....	33
Table 11.	Values of equivalent permeability and standard deviations used for "relief well" elements.....	34
Table 12.	Head loss rates and standard deviations.....	34
Table 13.	Taylor Series reliability analysis, based on finite element analysis results.....	38
Table 14.	Taylor Series reliability analysis, based on EM 1110-2-1910 spreadsheet analysis results.....	40
Table 15.	Taylor Series reliability analysis for ultimate consolidation settlement.....	43
Table 16.	Probabilities that settlement may be larger than the computed most likely settlement, based on lognormal distribution of settlement.....	44

Table 17. Taylor Series reliability analysis for consolidation settlement at $t = 2$ years..... 46